Concerns shared with Michigan Representative Frank Foster & his committee, Sept. 23, 2011

Thank you for allowing us to meet with you and for being willing to listen to our concerns about the unnecessary abuses our precious waterways are experiencing at the hands of the Sault On. East End Sewage Plant (EESTP). We hope you are willing to help achieve the improvements needed for the benefit of Michigan and our Canadian neighbors.

We, members of the Monitoring Solutions Committee (MSC), represent the owners on the North Shore of Sugar Island. This committee wishes to impress on you that the recent occurrences of by passes, by the Sault On EESTP, is a continuation of their flagrant abuse of the waterway. We are providing you with the past two years data and documentation to support our claims, and ask for your help to stop the degradation of property values, fishing and tourism resulting from these water quality problems.

Today, we ask that you encourage our Canadian neighbors to:

- Independently assess and determine what action is needed to avoid this contamination.
 It is evident that a proper engineering survey is necessary.
- Provide adequate capacity for surges. The number of bypasses is unusually high a city
 of Sault ON ordinance allowing homes/buildings, constructed prior to 1975, to have
 sump pumps/storm lines connected to sewage pipes, may be an important factor. The
 Sault Michigan plant had two by passes in the last 12 months (documentation provided).
- Provide chlorination to the process at the time of bypass. The high E.coli bacteria counts (documentation provided) are frequently at unacceptable levels.
- Assess the effectiveness of the UV treatment. The disinfection, during periods of light rainfall, appears woefully inadequate.
- Provide an adequate filtering process to eliminate the sickening toilet trash that litters
 our beaches on both sides of the river. This is not a rare occurrence, but a continuing
 problem (documentation provided). It is noted, however, that recent media reporting
 of the debris released from the EESTP has had an affect in recent weeks, we are not
 witnessing the trash.

We thank you for your interest in this vital matter affecting the residents on both sides of the border. We hope that this not become part of any larger St. Mary's River concern, and that you will address the health and debris issues associated with the EESTP, now – this requires immediate attention.

Larry Schrader, MSC Chairman

Attachments:

- Chippewa County Health Department (CCHD), North Channel chronological data
- Bypass report from Michigan Department of Environmental Quality for Sault, Michigan
- Photos of debris from the EESTP found in the river and on North Channel beaches



EESTP Bypasses

Friday, September 9, 2011 2:14 AM

From: "Welchcw26@aol.com" <Welchcw26@aol.com>

To: schraderiaw@att.net, jamesdubay@yahoo.com, ronmilis@twin-valley.net, jamespim2@gmail.com

I requested & received this spread sheet from Christine

Timeline of Events and Observations for the Northshore of Sugar Island 2009 to 2011

Date	Event	Action	Event Total	Year Totai	Pic#
7/21/2009	Eitrem 460.8		ļ		
8/9/2009	Canadian/American Blended Sewage Bypasses	Advisory Posted	4		
8/26/2009	Numerous tampon applicators found+1 Syringe on Harrington and Eitrem				1,2
9/14/2009	Burnstead 661.6, Eitrem >2419.6	Advisory Posted	16		
9/16/2009	Smith 387.4	Advisory Posted			
9/21/2009	Eitrem 547.2, SITP 591.2	Advisory Remains			
9/28/2009	3 Tampons and 1 bandage found on Smith, 2 applicators found on Eitrem	Swimming Season Over		20 days	
10/6/2009	Canadian Blended Bypass	Swimming Season Over			
6/16/2010	Not yet sampling advisory posted due to heavy rains	SITP Closed	4		
6/28/2010	Bumstead >960.8, Harrington 460.9	Advisory Posted			
6/30/2010	Smith 1040.9, Eltrem >1713.2	Advisory Posted			
7/1/2010	Smith >2419.6, Eltrem >1966.8	Advisory Posted			
7/6/2010	Smith 379.9	Advisory Lifted	8		
7/21/2010	Canadian Blended sewage bypass	Advisory Posted	6		
8/17/2010	SITP 373.6	Beach Closed	6		
8/24/2010	Burnstead 2265.5				
8/30/2010	Eitrem 642.2, Smith 372.9, Welch 736.6	Advisory Posted			
9/1/2010	Canadian Biended sewage bypass	Advisory Posted	22	46 days	
9/7/2010	Harrington 360.8, Eitrem 921.4, Weich 2265.5	Swimming Season Over			
9/13/2010	Welch 834.6	Swimming Season Over			
9/23/2010	Eitrem 547.9	Swimming Season Over			
6/27/2011	Tampons and Canadian Trash found at SITP				3,4,6,7
7/11/2011	Canadian Blended sewage bypass	Advisory Posted	3		
7/12/2011	SITP 402.7, More Canadian wrappers found	Beach Closed	2		7.
7/17/2011	Canadian Power outage resulting in Canadian bypass	Advisory Posted			
7/18/2011	Eitrem 1829.7, SiTP 1214.7-Closed, Air Dale 636.8 numerous pistics found beaches/channel	Advisory Posted	7	12 days	5,8,9
7/28/2011	Condoms and other wrappers in Welch Slip				
8/2/2010	Canada Duty Paid" wrappers found in Welch Slip				10
8/9/2011	Tampon+ "Canada Duty Paid" wrapper				
8/9/2011	Canadian Biended sewage bypass	Advisory Posted			
8/17/2011	Canadian Blended sewage bypass	Advisory Posted			
9/3/2011	Canadian Blended sewage bypass	Advisory Posted			



Canadian Events & Observations

Tuesday, September 20, 2011 8:19 PM

From: "welchcw26@aol.com" <welchcw26@aol.com>
To: schraderlaw@att.net

1 File (42KB)



Timeline ...

Can't remember if I sent you the CORRECTED date of 8/2/11 instead of 8/2/10 on the original copy from CCHD...... Christine did not send me the corrected version, so I made the correction myself. See below, same as attachment, only no goofy looking.

Timeline of Events and Observations for the Northshore of Sugar Island 2009 to 2011

Date	Event		Event Total	Year Pic# Total			
7/21/2009			Eitrem 460.8				
8/9/2009		Canadian/American	Adviso	ry 4			
		Blended Sewage	Posted	ed			
		Bypasses					
8/26/2009		Numerous tampo		1,2			
		applicators found					
		Syringe on Harrin	gton				
0.14.410000			and Eitrem				
9/14/2009		Burnstead 661.6,	Adviso	•			
		Eitrem >2419.6	Posted	•			
9/16/2009		Smith 387.4		Advisory Posted			
0/04/0000		Fitners E47.0 CITD					
9/21/2009		Eitrem 547.2, SITP 591.2		Advisory Remains			
9/28/2009			Swimn				
9/20/2009		bandage found on Seasor Smith, 2 applicators Over found on Eitrem		•			
				•			
10/6/2009		Canadian Blended		Swimming			
		Bypass		Season Over			
6/16/2010		Not yet sampling	SITP	4			
•		advisory posted due	Closed				
		to heavy rains					
6/28/2010		Bumstead >960.8,		Advisory			
		Harrington 460.9		Posted			
6/30/2010		Smith 1040.9, Eitrem		Advisory			
		>1713.2		Posted			
7/1/2010		Smith >2419.6, Eitrem		Advisory			
		>1966.8		Posted			

Timeline of Events and Observations for the Northshore of Su

Date	Event
7/21/2009	Eitrem 460.8
8/9/2009	Canadian/American Blended Sewage Bypasses
8/26/2009	Numerous tampon applicators found+1 Syringe on Harrington and Eitrem
9/14/2009	Burnstead 661.6, Eitrem >2419.6
9/16/2009	Smith 387.4
9/21/2009	Eitrem 547.2, SITP 591.2
9/28/2009	3 Tampons and 1 bandage found on Smith, 2 applicators found on Eitrem
10/6/2009	Canadian Blended Bypass
6/16/2010	Not yet sampling advisory posted due to heavy rains
6/28/2010	Burnstead >960.8, Harrington 460.9
6/30/2010	Smith 1040.9, Eitrem >1713.2
7/1/2010	Smith >2419.6, Eitrem >1966.8
7/6/2010	Smith 379.9
7/21/2010	Canadian Blended sewage bypass
8/17/2010	SITP 373.6
8/24/2010	Burnstead 2265.5
8/30/2010	Eitrem 642.2, Smith 372.9, Welch 736.6
9/1/2010	Canadian Blended sewage bypass
9/7/2010	Harrington 360.8, Eitrem 921.4, Welch 2265.5
9/13/2010	Welch 834.6
9/23/2010	Eitrem 547.9
6/27/2011	Tampons and Canadian Trash found at SITP
7/11/2011	Canadian Blended sewage bypass
7/12/2011	SITP 402.7, More Canadian wrappers found
7/17/2011	Canadian Power outage resulting in Canadian bypass
7/18/2011	Eitrem 1829.7, SITP 1214.7-Closed, Air Dale 636.8 numerous plstics found beaches/channel
7/28/2011	Condoms and other wrappers in Welch Slip
8/2/2010	'Canada Duty Paid" wrappers found in Welch Slip
8/9/2011	Tampon+ "Canada Duty Paid" wrapper
8/9/2011	Canadian Blended sewage bypass
8/17/2011	Canadian Blended sewage bypass
9/3/2011	Canadian Blended sewage bypass

ugar Island 2009 to 2011

Action	Event Total	Year Total	Pic#	
Advisory Posted	- 4			
			1,2	
Advisory Posted	16			
Advisory Posted				
Advisory Remains				
Swimming Season Over		20 days		
Swimming Season Over				
SITP Closed	4			
Advisory Posted				
Advisory Posted				
Advisory Posted				
Advisory Lifted	8			
Advisory Posted	6			
Beach Closed	6			
Advisory Posted				
Advisory Posted	22	46 days		
Swimming Season Over				
Swimming Season Over				
Swimming Season Over				
			3,4,6,7	
Advisory Posted	3			
Beach Closed	2		7,	
Advisory Posted				
Advisory Posted	7	12 days	5,8,9	
				10
Advisory Posted				
Advisory Posted				
Advisory Posted				

7/12/2011	SITP 402.7, M Canadian wrappers foun	Close	_		7,	
7/16/2011		Canadian B		Adviso Posted	•	
7/17/2011		Canadian P outage resu Canadian b	ower	Adviso Posted	•	
7/18/2011	Eitrem 1829.7, SITP 1214.7- Closed, Air Dale 636.8 numerous plstics found beaches/channel	Advisory Posted	7	12 days	5,8,9	
7/28/2011		Condoms and other wrappers in Welch Slip				
8/2/2011		'Canada Du wrappers fo Welch Slip	ty Paid"	10		
8/9/2011		•	Tampon+ "Canada Duty Paid" wrapper			
8/9/2011		Canadian B	lended	Adviso Posted	ry	
8/17/2011		sewage byp	lended	Adviso	ry	
9/3/2011		sewage byp Canadian B sewage byp	lended	Posted Adviso Posted	ry	





FLOATING DEBRIS - NORTH CHANNEL ST. MARY'S RIVER

NORTH CHANNEL

BETWEEN EESTP RELEASE PIPE AND AIR-DALE FLYING SERVICE (E.C.

7/18/11

7/18/11



SUGAR ISLAND PARK BEACH

6/27/11

7/12/11

